

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____

Parent's Name: _____ Parent's Phone Number: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child.
When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child was on medication was not on medication not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 1102

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____
 Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	
				Problematic	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments: _____

For Office Use Only

Total number of questions scored 2 or 3 in questions 1-9: _____
 Total number of questions scored 2 or 3 in questions 10-18: _____
 Total Symptom Score for questions 1-18: _____
 Total number of questions scored 2 or 3 in questions 19-26: _____
 Total number of questions scored 2 or 3 in questions 27-40: _____
 Total number of questions scored 2 or 3 in questions 41-47: _____
 Total number of questions scored 4 or 5 in questions 48-55: _____
 Average Performance Score: _____

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ

National Initiative for Children's Healthcare Quality



ADHD CARDIAC SCREENING QUESTIONNAIRE

Please list your current medications, including any health supplementations or natural food supplements:

Please explain all "YES" answers in lines below.	YES	NO
Have you or anyone in your family ever lost consciousness or fainted?		
Have you or anyone in your family ever lost consciousness or fainted DURING or AFTER EXERCISE?		
Have you ever had chest pain, chest discomfort, or shortness of breath DURING EXERCISE?		
Have you ever had an unexplained, noticeable change in exercise tolerance, where you became tired for no reason?		
Have you ever had palpitations of the heart, heart racing without reason, or extra or skipped heart beats?		
Have you ever had a heart murmur OTHER THAN an innocent/benign heart murmur, or history of any other heart problem?		
Have you ever had high blood pressure, high cholesterol, or a heart infection?		
Has a doctor ever ordered a test for your heart such as an ECG or echocardiogram?		
Have you or anyone in your family ever had a seizure?		
Have you ever had rheumatic fever, or disease of the heart valves?		
Has anyone in your family died suddenly for no apparent reason, for example, by drowning, or a car accident, or by just dropping over?		
Has anyone in your family under age 50 died suddenly from a cardiac cause or had a heart attack?		
Has anyone in your family under age 40 ever required resuscitation-- for example, fainting and needing someone to revive him or her?		
Has anyone in your family died suddenly during exercise?		
Has anyone in your family had abnormal rhythms of the heart, cardiomyopathy or problems with the heart muscle, Wolff-Parkinson-White syndrome, long QT syndrome, or any other heart syndrome?		
Is there anyone in the family with Marfan syndrome?		

Please explain all "YES" answers here, or note any other concerns you have about your heart health or that of family members: _____

Questions are based upon American Heart Association and American Academy of Pediatrics recommendations for cardiac screening, as well as from Vetter et al, Cardiovascular monitoring of children and adolescents with heart disease receiving stimulant drugs. *Circulation*. 2008 May 6;117(18):2407-23.

